

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/511,405	10/12/2004	Peter Stewart Weisner	PZ0219	9921
36335 7590 09/05/2007 GE HEALTHCARE, INC.		EXAMINER		
IP DEPARTMENT			MASKELL, MICHAEL P	
101 CARNEGIE CENTER PRINCETON, NJ 08540-6231			ART UNIT	PAPER NUMBER
,	•		2809	
			MAIL DATE	DELIVERY MODE
			09/05/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•	Application No.	Applicant(s)			
	10/511,405	WEISNER ET AL.			
Office Action Summary	Examiner	Art Unit			
	Michael Maskell	2809			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address					
Period for Reply  A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS,					
WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	l. ely filed the mailing date of this communication. 0 (35 U.S.C. § 133).			
Status		·			
1) Responsive to communication(s) filed on <u>12 October 2004</u> .					
2a) This action is <b>FINAL</b> . 2b) ⊠ This	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.				
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-17</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-17</u> is/are rejected.					
7) Claim(s) is/are objected to.	r election requirement				
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on <u>12 October 2004</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a)⊠ All b)□ Some * c)□ None of:					
1. Certified copies of the priority documents	1. Certified copies of the priority documents have been received.				
2. Certified copies of the priority documents	2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau	, ,,				
* See the attached detailed Office action for a list of the certified copies not received.					
Attacheranta					
Attachment(s)  1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date					
3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date 10/12/2004.  5) Notice of Informal Patent Application 6) Other:					

Application/Control Number: 10/511,405 Page 2

Art Unit: 2809

## **DETAILED ACTION**

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-3 and 6-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Strecker, et al (U.S. Patent 3,898,044).

Regarding claim 1, Strecker discloses a device for producing a fluid containing a radioactive constituent, the device comprising a shielded chamber (14) with an opening for receiving an isotope container housing a radioactive isotope; a chamber closure adapted for cooperating with and closing the chamber opening (unlabeled, indicated by reverse cross-hatching relative to side components of chamber 14 in Figs. 1 and 7); a first fluid port comprising a first hollow needle (15 in Fig. 7) projecting into the shielded chamber from the chamber closure for fluid communication with the isotope container; a second fluid port comprising a second hollow needle (15 in Fig. 1) projecting into the shielded chamber from the closed end of the chamber opposite the chamber closure for fluid communication with the isotope container; first and second compressible buffers mounted so as to surround at least partially the respective first and second hollow needles (column 3, lines 3-5), each buffer providing an outer surface for contact with opposed ends of the isotope container; and a spacer of a predetermined thickness associated with one or each of the first and second compressible buffers for

Application/Control Number: 10/511,405

Art Unit: 2809

determining the positioning of the isotope container within the shielded chamber (darker cross-hatching in Fig. 7).

Regarding claim 2, Strecker discloses a device as claimed in claim 1, wherein with the chamber closure in place in the chamber opening, the first and second hollow needles are fixed in position at each end of the shielded chamber (Fig. 1).

Regarding claim 3, Strecker discloses a device as claimed in claim 1, wherein the spacer is provided with the second compressible buffer at the closed end of the shielded chamber (Fig. 1).

**Regarding claim 6**, Strecker's invention is a radioisotope generator.

Regarding claim 7, Strecker discloses a device as claimed in claim 1, wherein opposing ends of the isotope container each includes a frangible seal adapted to be pierced by and to seal around the respective first and second hollow needles (column 3, lines 3-5).

Regarding claim 8, Strecker discloses a device as claimed in claim 1, wherein the isotope container is an ion exchange column (column 2, lines 6-8).

Regarding claim 9, Strecker discloses a device as claimed in claim 1, wherein the first and second hollow needles are each connected via associated fluid conduits (12 and 17a) with a fluid inlet and a fluid outlet respectively.

Regarding claim 10, Strecker discloses a device as claimed in claim 9, wherein the fluid inlet and the fluid outlet each consists of hollow spikes (3 and 18).

Regarding claim 11, Strecker discloses a device as claimed in claim 10 wherein the device further includes an outer housing (33) within which the shielded chamber is

Application/Control Number: 10/511,405

Art Unit: 2809

located wherein the fluid inlet and the fluid outlet are mounted in the outer housing to provide fluid connections external to the outer housing (opening through which 17a and 12 are fed in housing 33).

Regarding claim 12, Strecker discloses a device as claimed in claim 11, wherein the fluid conduits each consist of flexible tubing which is greater in length than the distance between the hollow needles and their respective fluid inlet or outlet (12 and 17a are greater than the distance between the needles and the inlet and outlet).

Regarding claim 13, Strecker discloses a device as claimed in claim 12, wherein the flexible tubing of each fluid conduit is in length at least twice the distance between the hollow needles and their respective fluid inlet or outlet (in Fig. 1 12 and 17a can be visually seen to be twice as long as the distance between their respective needles and the opening).

Regarding claim 14, Strecker discloses a method of constructing a radioisotope generator comprising the steps of: providing a shielded chamber (14) with an opening and a chamber closure adapted for cooperating with and closing the chamber opening (unlabeled, indicated by reverse cross-hatching relative to side components of chamber 14 in Figs. 1 and 7); providing a first fluid port comprising a first hollow needle (15 in Fig. 7) projecting into the shielded chamber from the chamber closure; providing a second fluid port comprising a second hollow needle (15 in Fig. 1) projecting into the shielded chamber at the end of the chamber opposite the opening; mounting first and second compressible buffers so as to surround at least partially the respective first and second hollow needles (column 3, lines 3-5), one or each of the compressible buffers including

Art Unit: 2809

a spacer of predetermined thickness (darker cross-hatching in Fig. 7); thereafter introducing an isotope container (13) housing a radioactive isotope through the chamber opening into the shielded chamber so as to contact with the second hollow needle and the second compressible buffer at the closed end of the chamber; and closing the shielded chamber by positioning the chamber closure in the opening and bringing the first hollow needle and the first compressible buffer into contact with the isotope container whereby the spacer determines the positioning of the isotope container within the shielded container (Fig. 1).

## Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Strecker in view of Lu, et al ("Characterization of close-celled cellular aluminum alloys" Journal of Materials Science 36(2001) 2773-2786.).

Strecker discloses the device of claim 1, but fails to teach wherein the material of the first and second compressible buffers is a semi-open cell foam. However, Lu teaches that a semi-open cell foam exhibits highly linear stress versus strain behavior compared with closed cell foam when compressed along the X1 direction (Fig. 7). Thus a properly oriented semi-open cell foam behaves elastically under stress. Since the

Application/Control Number: 10/511,405

Art Unit: 2809

buffer as claimed is intended to be compressible, elastic material is ideal (see Fig. 8a of Lu, where the elastic behavior allows the material to compress without breaking). It would therefore have been obvious to one of ordinary skill in the art at the time the invention was made to use a semi-open cell foam as the material of the first and second compressible buffers. Doing so would allow the buffers to be compressed without breaking.

5. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Strecker in view of Homer, et al (U.S. Patent 4,582,638).

Strecker discloses the device of claim 1, but fails to teach wherein the material of the spacer is a closed cell foam. However, Homer teaches the use of closed cell foam as a gasket in a radioactive material container (column 8, lines 51-60). Homer teaches that such a material is resilient and fluidtight, and prevent damaging loads from being imposed upon a nozzle and tube similar to the needle and tube applied in the present invention. It would therefore have been obvious to one of ordinary skill in the art at the time the invention was made to use closed cell foam as the material of the spacer.

Doing so would provide a fluidtight seal and protect the needle and tube from damaging loads.

6. Claims 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Strecker.

Regarding claim 15, Strecker discloses the method of claim 14, further comprising the step of connecting the first hollow needle to a first fluid conduit and connecting the second hollow needle to a second fluid conduit, but fails to explicitly

Art Unit: 2809

teach doing this prior to introduction of the isotope container into the shielded chamber. However, since access to the isotope container is very limited once it is introduced into the shielded chamber, common sense would dictate the connection of the needles to the fluid conduits prior to introducing the isotope container into the shielded chamber. It would have been obvious to one of ordinary skill in the art at the time the invention was made to do so, because it would be much easier to access the needles for attachment.

Regarding claim 16, Strecker teaches the method as claimed in claim 15, further comprising the step of locating the shielded container within an outer housing and connecting the first fluid conduit to a fluid inlet in the outer housing and the second fluid conduit to a fluid outlet in the outer housing (see Fig. 1), but fails to teach doing this prior to introduction of the isotope container into the shielded container. However, since the isotope container is radioactive (hence the need for the shielded container), it is much safer to locate the shielded container in the outer housing and connect the fluid conduits before the introduction of the radioactive isotope container. Common sense and ordinary skill in the art would have made it obvious at the time the invention was made to locate the shielded container within an outer housing and connecting the fluid conduits prior to the introduction of the isotope container.

Regarding claim 17, Strecker teaches the method as claimed in claim 16, wherein the first and second fluid conduits are each of flexible tubing which is greater in length than the distance between the first and second hollow needles and their respective fluid inlet and fluid outlet when the chamber closure is in place in the chamber opening and the shielded chamber is positioned within the outer housing (see

Fig. 1), but fails to specifically teach whereby all fluid connections can be established prior to installation of the isotope container within the shielded chamber. However, as stated in regards to claim 16, common sense and safety practice would dictate that the introduction of the isotope container within the shielded chamber should only take place after the entire apparatus has been assembled. It would have therefore been obvious to one of ordinary skill in the art at the time the invention was made to establish all fluid connections prior to installation of the isotope container within the shielded chamber. Doing so is the safest way of assembling the apparatus.

## Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Maskell whose telephone number is 571/270-3210. The examiner can normally be reached on Monday-Friday 8AM-5PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrell McKinnon can be reached on 571/272-4797. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2809

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael Maskell 23 August 2007

LISA CAPUTO

REMARY PATENT EXAMINER